

20090407.ba v04\_n261.bam.20090407

>From ???@??? Tue Apr 7 12:53:10 2009 -0500  
Date: Tue, 7 Apr 2009 11:52:32 CST  
From: Old Tube Radios <boatanchors@theporch.com>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: BOATANCHORS digest 4261  
Message-Id: <20090407175234.693B1D52A4@srvr1.theporch.com>

BOATANCHORS Digest 4261

Topics covered in this issue include:

- 1) Attn: TUBE FANCIERS  
by K8MFO@aol.com
- 2) Eico 230 signal generator  
by "RICHARD GEORGE" <k6kwq@msn.com>
- 3) Re: How it is these days  
by Paul Anderson <paul@pdq.com>
- 4) Re: How it is these days  
by "Arden Allen" <gumbear@pacbell.net>
- 5) Re: How it is these days  
by WA5CAB@cs.com
- 6) Re: TUBE FANCIERS  
by "Raymond Cote" <rjcote@hawaii.rr.com>
- 7) Re: TUBE FANCIERS  
by Scott Robinson <spr@earthlink.net>
- 8) Re: Why .047 capaciactor  
by "Paul Kraemer" <elespe@lisco.com>
- 9) Re: How it is these days  
by WA1KBQ@aol.com
- 10) Truncated Mail Problem - Again  
by Jerry Proc <jerry7proc@yahoo.com>
- 11) Re: Truncated Mail Problem - Again  
by AAFRadio <mike\_25-z@aafradio.org>
- 12) Re: Why .047 capaciactor  
by ail0@att.net
- 13) Re: Truncated Mail Problem - Again  
by Jerry Proc <jerry7proc@yahoo.com>
- 14) Re: Why .047 capaciactors  
by ail0@att.net
- 15) RE: Truncated Mail Problem - Again  
by "Bill Hawkins" <bill@iaxs.net>
- 16) RE: Truncated Mail Problem - Again  
by Jerry Proc <jerry7proc@yahoo.com>

---

From: K8MFO@aol.com

Message-ID: <c80.4afbbfbc.370a7460@aol.com>  
Date: Sun, 5 Apr 2009 16:53:52 EDT  
Subject: Attn: TUBE FANCIERS  
To: Old Tube Radios <boatanchors@theporch.com>  
MIME-Version: 1.0  
Content-Type: multipart/alternative;  
boundary="-----1238964832"

-----1238964832  
Content-Type: text/plain; charset="US-ASCII"  
Content-Transfer-Encoding: 7bit

I haven't seen this posted here. If it was, and I missed it, I apologize.

[\\_http://hardocp.com:80/images/news/1237476767fPYMHIsYVF\\_1\\_1\\_1.gif](http://hardocp.com:80/images/news/1237476767fPYMHIsYVF_1_1_1.gif)  
([http://hardocp.com:80/images/news/1237476767fPYMHIsYVF\\_1\\_1\\_1.gif](http://hardocp.com:80/images/news/1237476767fPYMHIsYVF_1_1_1.gif))

73

Don K8MF0  
\*\*\*\*\*Worried about job security? Check out the 5 safest jobs in a  
recession.  
(<http://jobs.aol.com/gallery/growing-job-industries?ncid=emlcntuscare000000003>)

-----1238964832  
Content-Type: text/plain; charset=us-ascii  
Content-Transfer-Encoding: 7bit

\*\*\*\*\*  
\* ---REMAINDER OF MESSAGE TRUNCATED--- \*  
\* This post contains a forbidden message format \*  
\* (such as an attached file, a v-card, HTML formatting) \*  
\* Mail Lists at theporch.com only accept PLAIN TEXT \*  
\* If your postings display this message your mail program \*  
\* is not set to send PLAIN TEXT ONLY and needs adjusting \*  
\*\*\*\*\*

-----1238964832--

-----  
Message-ID: <BAY103-DS7094ACA638D67262F83EFF5870@phx.gbl>  
From: "RICHARD GEORGE" <k6kwq@msn.com>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: Eico 230 signal generator  
Date: Sun, 5 Apr 2009 15:17:05 -0700  
MIME-Version: 1.0  
Content-Type: text/plain;

charset="iso-8859-1"  
Content-Transfer-Encoding: 7bit

Just added an other piece of Eico equipment to my collection. I could sure use a manual and schematic for it. It is an Eico 230 and is not on Bama  
Thanks

K6KWQ Dick  
Amps by "MORE POWER"

-----  
MIME-Version: 1.0  
Date: Sun, 5 Apr 2009 21:31:21 -0400  
Message-ID: <ee957a250904051831t752bbd16q2ef7d5eb54b5495e@mail.gmail.com>  
Subject: Re: How it is these days  
From: Paul Anderson <paul@pdq.com>  
To: Old Tube Radios <boatanchors@theporch.com>  
Cc: Old Tube Radios <boatanchors@theporch.com>  
Content-Type: text/plain; charset=ISO-8859-1  
Content-Transfer-Encoding: quoted-printable

The nature of EDA is to assist designers in:  
high volume layout  
design rule checking  
allowing higher level specification of circuits (e.g. 'this is a 32 bit address')

and so on.

Nothing that I saw in the wikipedia article mentioned using AI to design the chip from top to bottom - there is always a human driver involved.

Overall, EDA is mostly about automation of boring tasks so that designers can focus on function, reliability, performance, and other more useful problems.

There are thousands of examples of similar advances in technology, such as linotype machines, which allowed a smaller number of operators to typeset a newspaper.

Paul

On Sun, Apr 5, 2009 at 4:53 PM, Sandy <ebjr37@charter.net> wrote:  
> The "thing" that worries me these days about this "technology" is:  
>  
> What if? =A0Too much artificial intelligence is built in to these program=

s?

> Maybe not in 'our' foreseeable future, but sometime in the future? =A0The=

se

> design programs will make changes so that the importance of the "devices"

> will overrule the importance of the people they are being designed for?

>

> This smacks of something that happened in a movie where a US and a Soviet

> supercomputer were introduced to each other and eventually started "runni=

ng"

> the people who designed them?

>

> Sounds rather far fetched, but I think it could be a real possibility

> eventually as design engineers are needed less and less and the knowledge

> sort of "disappears" from the human and becomes dominated by the "smart

> machines"?

>

> Kinda scary to think about: =A0what is a great help today in design MIGHT=

"

> turn into a lethal adversary in the future?

>

> Just a thought that ran thru my old brain!

>

> 73,

>

> Sandy W5TVW

> ----- Original Message ----- From: "Arden Allen" <gumbear@pacbell.net>

> To: "Old Tube Radios" <boatanchors@theporch.com>

> Sent: Sunday, April 05, 2009 3:39 PM

> Subject: How it is these days

>

>

>> [http://en.wikipedia.org/wiki/Electronic\\_design\\_automation](http://en.wikipedia.org/wiki/Electronic_design_automation)

>>

>> Arden Allen

>> KB6NAX

>>

>> Adopt a shelter dog,

>> save an innocent life,

>> and make a friend forever =3D:-)

>>

>

>

> -----

-----

>

>

>

> No virus found in this incoming message.

> Checked by AVG - www.avg.com  
> Version: 8.5.285 / Virus Database: 270.11.42/2042 - Release Date: 04/05/09  
> 10:54:00  
>  
>

-----  
Message-ID: <000e01c9b666\$114258d0\$3e9e480c@KB6NAX>  
From: "Arden Allen" <gumbear@pacbell.net>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: Re: How it is these days  
Date: Sun, 5 Apr 2009 20:16:18 -0700  
MIME-Version: 1.0  
Content-Type: text/plain;  
        charset="iso-8859-1"  
Content-Transfer-Encoding: 7bit

> .....Nothing that I saw in the wikipedia article mentioned using AI to  
design the chip from top to bottom - there is always a human driver  
involved. ...

Most of the artificial intelligence comes from engineering managers ;-)

Arden Allen  
KB6NAX

Adopt a shelter dog,  
save an innocent life,  
and make a friend forever =:-)

-----  
From: WA5CAB@cs.com  
Message-ID: <c92.459c5faa.370add62@cs.com>  
Date: Mon, 6 Apr 2009 00:21:54 EDT  
Subject: Re: How it is these days  
To: Old Tube Radios <boatanchors@theporch.com>  
MIME-Version: 1.0  
Content-Type: multipart/alternative;  
boundary="part1\_c92.459c5faa.370add62\_boundary"

--part1\_c92.459c5faa.370add62\_boundary  
Content-Type: text/plain; charset="US-ASCII"  
Content-Transfer-Encoding: 7bit

Back in the day when I still had a day job and was the engineering manager, I  
would have said it came from the sales manager.

In a message dated 4/5/2009 10:16:56 PM Central Daylight Time,  
gumbear@pacbell.net writes:  
> >.....Nothing that I saw in the wikipedia article mentioned using AI to  
> design the chip from top to bottom - there is always a human driver  
> involved. ...  
>  
> Most of the artificial intelligence comes from engineering managers ;-)  
>  
> Arden Allen  
> KB6NAX

Robert & Susan Downs - Houston  
wa5cab dot com (Web Store)  
MVPA 9480

--part1\_c92.459c5faa.370add62\_boundary  
Content-Type: text/plain; charset=us-ascii  
Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

--part1\_c92.459c5faa.370add62\_boundary--

-----  
Message-ID: <718EBF33BDB344BB90F057A8F6640C6F@raymond>  
From: "Raymond Cote" <rjcote@hawaii.rr.com>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: Re: TUBE FANCIERS  
Date: Sun, 5 Apr 2009 20:59:10 -1000  
MIME-Version: 1.0  
Content-Type: text/plain;  
 format=flowed;  
 charset="iso-8859-1";  
 reply-type=original  
Content-Transfer-Encoding: 7bit

Thanks Don....Laughed my ass off

----- Original Message -----

From: <K8MF0@aol.com>  
To: "Old Tube Radios" <boatanchors@theporch.com>  
Sent: Sunday, April 05, 2009 10:53 AM  
Subject: Attn: TUBE FANCIERS

>I haven't seen this posted here. If it was, and I missed it, I apologize.  
>  
> \_http://hardocp.com:80/images/news/1237476767fPYMHIsYVF\_1\_1\_1.gif\_  
> (http://hardocp.com:80/images/news/1237476767fPYMHIsYVF\_1\_1\_1.gif)  
>  
> 73  
>  
> Don K8MF0  
> \*\*\*\*\*Worried about job security? Check out the 5 safest jobs in a  
> recession.  
> (http://jobs.aol.com/gallery/growing-job-industries?ncid=emlcntuscare000000003)  
>

-----  
Mime-Version: 1.0  
Message-Id: <p0624080cc5ff638e494a@[192.168.1.5]>  
Date: Mon, 6 Apr 2009 00:46:51 -0700  
To: Old Tube Radios <boatanchors@theporch.com>  
From: Scott Robinson <spr@earthlink.net>  
Subject: Re: TUBE FANCIERS  
Content-Type: text/plain; charset="us-ascii" ; format="flowed"

>Thanks Don....Laughed my ass off

Yes, but 8591s are actually useful and scarce. A lot of 1970s stereo receivers used them, so it's a pity this twit wasted them.

Peace,

Scott

-----  
Message-ID: <301521E2C67747E4A30F372CA1C4BE60@ENGR2>  
From: "Paul Kraemer" <elespe@lisco.com>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: Re: Why .047 capaciactor  
Date: Mon, 6 Apr 2009 09:18:12 -0500  
MIME-Version: 1.0  
Content-Type: text/plain;  
format=flowed;  
charset="iso-8859-1";  
reply-type=response

Content-Transfer-Encoding: 7bit

My take on this is it is consistent with the resistance value table and was derived based on the tolerance range of each value in the table 10, 12, 15, 18, 22, 27, 33, 39, 47, 56, 68, 82, 100

Paul K0UYA

----- Original Message -----

From: "RICHARD GEORGE" <k6kwq@msn.com>

To: "Old Tube Radios" <boatanchors@theporch.com>

Sent: Saturday, April 04, 2009 4:40 PM

Subject: Why .047 capaciactor

> I'm in the process of recapping a few old anchors. I notice a lot of the  
> caps are .047 mfd. Why is this value so common and not .05 mfd? Seems like  
> such a small difference why was there both?

> Just curious.

>

>

> K6KWQ Dick

> Amps by "MORE POWER"

>

-----  
From: WA1KBQ@aol.com

Message-ID: <cb2.51f486ce.370c0b7d@aol.com>

Date: Mon, 6 Apr 2009 21:50:53 EDT

Subject: Re: How it is these days

To: Old Tube Radios <boatanchors@theporch.com>

MIME-Version: 1.0

Content-Type: multipart/alternative;

boundary="-----1239069053"

-----1239069053

Content-Type: text/plain; charset="US-ASCII"

Content-Transfer-Encoding: 7bit

In a message dated 4/6/2009 12:22:41 A.M. Atlantic Standard Time,  
WA5CAB@cs.com writes:

>Back in the day when I still had a day job and was the engineering manager,  
I

>would have said it came from the sales manager.

Or... sales engineer?



-Greg

\*\*\*\*\*Feeling the pinch at the grocery store? Make dinner for \$10 or less. (<http://food.aol.com/frugal-feasts?ncid=emlcntusfood00000001>)

-----1239069053  
Content-Type: text/plain; charset=us-ascii  
Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

-----1239069053--

-----  
Message-ID: <146236.17232.qm@web90604.mail.mud.yahoo.com>  
Date: Tue, 7 Apr 2009 06:21:32 -0700 (PDT)  
From: Jerry Proc <jerry7proc@yahoo.com>  
Subject: Truncated Mail Problem - Again  
To: Old Tube Radios <boatanchors@theporch.com>  
MIME-Version: 1.0  
Content-Type: text/plain; charset=iso-8859-1  
Content-Transfer-Encoding: quoted-printable

Hi Everyone,

This is an old problem but it seems to have gotten worse. I can no longer read any truncated posts. I guess this started several months ago and the frequency of receiving truncated posts has increased. =20

At one point I picked up on the trick of doing a "Reply To" in order to read mail but I am unable to do that any longer. Something has obviously changed but I don't know what. Is there any other trick I can use to read truncated mail? =20

--

Regards,  
Jerry Proc  
E-mail: [jerry7proc@yahoo.com](mailto:jerry7proc@yahoo.com)

--- On Sun, 4/5/09, WA5CAB@cs.com <WA5CAB@cs.com> wrote:

```
> From: WA5CAB@cs.com <WA5CAB@cs.com>
> Subject: Re: How it is these days
> To: "Old Tube Radios" <boatanchors@theporch.com>
> Received: Sunday, April 5, 2009, 9:21 PM
> * * * * *
> * * * * *
> *=A0 =A0 =A0 =A0=A0=A0---REMAINDER OF
> MESSAGE TRUNCATED---=A0 =A0 =A0 =A0 =A0
> =A0 *
> *=A0 =A0=A0=A0This post contains a forbidden
> message format=A0 =A0 =A0=A0=A0*
> *=A0 (such as an attached file, a v-card, HTML
> formatting)=A0 *
> *=A0 =A0 Mail Lists at theporch.com only accept PLAIN
> TEXT=A0 =A0 *
> * If your postings display this message your mail program
> *
> * is not set to send PLAIN TEXT ONLY and needs
> adjusting=A0 *
> * * * * *
> *
> =0A=0A=0A _____=
_____ =0AReclaim your name @ymail.com or @rocketmail.com. Get your new em=
ail address now! Go to http://ca.promos.yahoo.com/jacko/
```

```
-----
Message-ID: <49DB591B.9060700@aafradio.org>
Date: Tue, 07 Apr 2009 09:46:03 -0400
From: AAFRadio <mike_25-z@aafradio.org>
MIME-Version: 1.0
To: Old Tube Radios <boatanchors@theporch.com>
CC: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Truncated Mail Problem - Again
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Left click on:  
View  
Message Source

You have to wade through a ton of garbage to get down to the substance,  
but it's there.

73,

Mike KC4TOS

Jerry Proc wrote:

> Hi Everyone,

>

> This is an old problem but it seems to have gotten worse. I can no longer read any truncated posts. I guess this started several months ago and the frequency of receiving truncated posts has increased.

>

> At one point I picked up on the trick of doing a "Reply To" in order to read mail but I am unable to do that any longer. Something has obviously changed but I don't know what. Is there any other trick I can use to read truncated mail?

>

> --

> Regards,

> Jerry Proc

> E-mail: jerry7proc@yahoo.com

>

>

> --- On Sun, 4/5/09, WA5CAB@cs.com <WA5CAB@cs.com> wrote:

>

>

>> From: WA5CAB@cs.com <WA5CAB@cs.com>

>> Subject: Re: How it is these days

>> To: "Old Tube Radios" <boatanchors@theporch.com>

>> Received: Sunday, April 5, 2009, 9:21 PM

>> \* \* \* \* \*

>> \* \* \* \* \*

>> \* ---REMAINDER OF

>> MESSAGE TRUNCATED---

>> \*

>>

-----  
From: ail0@att.net

To: Old Tube Radios <boatanchors@theporch.com>

Subject: Re: Why .047 capaciator

Date: Tue, 07 Apr 2009 14:14:56 +0000

Message-Id:

<040720091414.15037.49DB5FDF000E2E6F00003ABD22218801869B0A02D29B9B0EBFCF04070E@att.net>

MIME-Version: 1.0

Content-Type: multipart/alternative;

boundary="NextPart\_Webmail\_9m3u9jl4l\_15037\_1239113696\_0"

--NextPart\_Webmail\_9m3u9jl4l\_15037\_1239113696\_0

Content-Type: text/plain

Content-Transfer-Encoding: 8bit

----- Original message from "Paul Kraemer" <elespe@lisco.com>:  
-----

> My take on this is it is consistent with the resistance value table and was  
> derived based on the tolerance range of each value in the table 10, 12, 15,  
> 18, 22, 27, 33, 39, 47, 56, 68, 82, 100  
> Paul K0UYA

The idea of the resistance value spacing (and capacitors) is to be able to  
manufacture  
components with no waste that is, to have all the devices you make fall into one  
of the value  
categories. 20% values such 10, 12, 15 are each 20% larger than the previous one;  
so that anything you make will fall into one of the values +/- 20%,  
Art  
K3HBA

--NextPart\_Webmail\_9m3u9jl4l\_15037\_1239113696\_0

Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit

\* \* \* \* \*  
\* ---REMAINDER OF MESSAGE TRUNCATED--- \*  
\* This post contains a forbidden message format \*  
\* (such as an attached file, a v-card, HTML formatting) \*  
\* Mail Lists at theporch.com only accept PLAIN TEXT \*  
\* If your postings display this message your mail program \*  
\* is not set to send PLAIN TEXT ONLY and needs adjusting \*  
\* \* \* \* \*

--NextPart\_Webmail\_9m3u9jl4l\_15037\_1239113696\_0--

-----  
Message-ID: <68748.42517.qm@web90603.mail.mud.yahoo.com>

Date: Tue, 7 Apr 2009 07:48:33 -0700 (PDT)

From: Jerry Proc <jerry7proc@yahoo.com>

Subject: Re: Truncated Mail Problem - Again

To: Old Tube Radios <boatanchors@theporch.com>

Cc: Old Tube Radios <boatanchors@theporch.com>

MIME-Version: 1.0

Content-Type: text/plain; charset=iso-8859-1

Content-Transfer-Encoding: quoted-printable

Hi Mike,

I access Boatanchor mail through the Yahoo web portal for e-mail. =20  
The functions you mention do not appear in Yahoo's email client.=20  
View Message Source does not appear in the I.E. 7 toolbar.=20

I was forced to use Yahooemail because the ISP for Porch.com kept blackholin=  
g my ISP, namely Sympatico.ca=20  
=20

--

Regards,  
Jerry Proc  
E-mail: jerry7proc@yahoo.com

--- On Tue, 4/7/09, AAFRadio <mike\_25-z@aafradio.org> wrote:

> From: AAFRadio <mike\_25-z@aafradio.org>  
> Subject: Re: Truncated Mail Problem - Again  
> To: jerry7proc@yahoo.com  
> Cc: "Old Tube Radios" <boatanchors@theporch.com>  
> Received: Tuesday, April 7, 2009, 6:46 AM  
> Left click on:  
> View  
> Message Source  
>=20  
> You have to wade through a ton of garbage to get down to  
> the substance, but it's there.  
>=20  
> 73,  
> Mike=A0 KC4TOS  
>=20  
> Jerry Proc wrote:  
> > Hi Everyone,  
> >=20  
> > This is an old problem but it seems to have gotten  
> worse. I can no longer read any truncated posts. I guess  
> this started several months ago and the frequency of  
> receiving truncated posts has increased.=A0 =A0=20  
> > At one point I picked up on the trick of doing a  
> "Reply To" in order to read mail but I am unable to do that  
> any longer. Something has obviously changed but I don't know  
> what. Is there any other trick I can use to read truncated  
> mail?=A0 =A0=20  
> > --

> > Regards,  
> > Jerry Proc  
> > E-mail: jerry7proc@yahoo.com  
> >=20  
> >=20  
> > --- On Sun, 4/5/09, WA5CAB@cs.com <WA5CAB@cs.com>  
> wrote:  
> >=20  
> >=A0=A0=A0  
> >> From: WA5CAB@cs.com <WA5CAB@cs.com>  
> >> Subject: Re: How it is these days  
> >> To: "Old Tube Radios" <boatanchors@theporch.com>  
> >> Received: Sunday, April 5, 2009, 9:21 PM  
> >> \* \* \* \* \*  
> >> \* \* \* \* \*  
> >> \*A0 =A0 =A0  
> =A0=A0=A0---REMAINDER OF  
> >> MESSAGE TRUNCATED---=A0 =A0 =A0 =A0  
> =A0=A0=A0\*  
> >>=A0 =A0=A0=A0  
>=20  
> =0A=0A=0A \_\_\_\_\_=  
\_\_\_\_\_=0AInstant Messaging, free SMS, sharing photos and more... Try the =  
new Yahoo! Canada Messenger at <http://ca.beta.messenger.yahoo.com/>

-----  
From: ail0@att.net  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: Re: Why .047 capacitors  
Date: Tue, 07 Apr 2009 14:55:25 +0000  
Message-Id:  
<040720091455.10243.49DB695C000E0DAB0000280322218801869B0A02D29B9B0EBFCF04070E@att.net>  
MIME-Version: 1.0  
Content-Type: multipart/alternative;  
boundary="NextPart\_Webmail\_9m3u9jl4l\_10243\_1239116125\_0"

--NextPart\_Webmail\_9m3u9jl4l\_10243\_1239116125\_0  
Content-Type: text/plain  
Content-Transfer-Encoding: 8bit

----- Original message from "Arden Allen" <gumbear@pacbell.net>:  
-----

> The value progression of capacitors follow the same formula as resistors.  
> Why the change from the old .01, .02, .03, .04, .05, etc. values (yes, I've  
> run across all those in old radios)? Must be the result of the use of  
> computers for electronic design, manufacturing and material control  
> automation.

Arden:

Don't blame it on computers, blame it on economy. If you wanted to go into the resistor

business, you'd mix up a batch of carbon gunk, stick leads into it and then put it into a

test jig Every thing you make HAS to be within 20% of one of those values, so you can

sell everything you make. You may want to modify the mix of goop to stay closer to the range of the more popular values.

Art

KeHBA

>

> A good stock of E24 values will get you through any job except where low  
> drift precision resistors are needed.

>

> Here's a good rundown:

>

> <http://www.pc-control.co.uk/resistor-eia.htm>

>

> Arden Allen

> KB6NAX

>

> Adopt a shelter dog,

> save an innocent life,

> and make a friend forever =:-)

>

--NextPart\_Webmail\_9m3u9jl4l\_10243\_1239116125\_0

Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

--NextPart\_Webmail\_9m3u9jl4l\_10243\_1239116125\_0--

-----

From: "Bill Hawkins" <bill@iaxs.net>  
To: Old Tube Radios <boatanchors@theporch.com>  
Subject: RE: Truncated Mail Problem - Again  
Date: Tue, 7 Apr 2009 11:38:59 -0500  
Message-ID: <79E7B2C9FBD043B9B1AD325A16F54DC8@cyrus>  
MIME-Version: 1.0  
Content-Type: text/plain;  
        charset="us-ascii"  
Content-Transfer-Encoding: 7bit

Mike,

I thought the reason for the truncation message was to cut down on the number of message bytes reflected.

Are you saying that all of the bytes go out anyway?

Another possibility is that years ago, some people couldn't read HTML because their antique mail program couldn't interpret it.

I read about a dozen mailing lists. None of them refuse HTML. Some low-traffic lists allow 5 MB attachments.

Has the HTML problem gone away?

Wasn't a problem with radio. An OT could give an endless organ recital (not music - problems of old age) without being truncated.

Bill Hawkins

Note: It wouldn't be the first time that a lesson learned in the early days of some technology persisted long after it became obsolete.

-----Original Message-----

From: AAFRadio  
Sent: Tuesday, April 07, 2009 8:46 AM  
To: Old Tube Radios  
Subject: Re: Truncated Mail Problem - Again

Left click on:  
View  
Message Source

You have to wade through a ton of garbage to get down to the substance, but it's there.

73,



Mike KC4TOS

Jerry Proc wrote:

> Hi Everyone,  
>  
> This is an old problem but it seems to have gotten worse. I can no longer read any truncated posts. I guess this started several months ago and the frequency of receiving truncated posts has increased.  
>  
> At one point I picked up on the trick of doing a "Reply To" in order to read mail but I am unable to do that any longer. Something has obviously changed but I don't know what. Is there any other trick I can use to read truncated mail?  
>  
> --  
> Regards,  
> Jerry Proc  
> E-mail: jerry7proc@yahoo.com

-----  
Message-ID: <417744.32249.qm@web90606.mail.mud.yahoo.com>  
Date: Tue, 7 Apr 2009 10:52:09 -0700 (PDT)  
From: Jerry Proc <jerry7proc@yahoo.com>  
Subject: RE: Truncated Mail Problem - Again  
To: Old Tube Radios <boatanchors@theporch.com>  
MIME-Version: 1.0  
Content-Type: text/plain; charset=iso-8859-1  
Content-Transfer-Encoding: quoted-printable

Hi Bill,

It is my understanding that the Porch server is the one doing the truncating. HTML is not permitted here. All the truncated mail I receive looks like the sample I sent in my original e-mail after I do the "Reply To" function. I can't forward the truncated mail to my POP3 account because there is nothing to read.=20

--  
Regards,  
Jerry Proc  
E-mail: jerry7proc@yahoo.com

--- On Tue, 4/7/09, Bill Hawkins <bill@iaxs.net> wrote:

> From: Bill Hawkins <bill@iaxs.net>  
> Subject: RE: Truncated Mail Problem - Again

> To: "Old Tube Radios" <boatanchors@theporch.com>  
> Received: Tuesday, April 7, 2009, 9:38 AM  
> Mike,  
>=20  
> I thought the reason for the truncation message was to cut  
> down on the  
> number of message bytes reflected.  
>=20  
> Are you saying that all of the bytes go out anyway?  
>=20  
> Another possibility is that years ago, some people couldn't  
> read HTML  
> because their antique mail program couldn't interpret it.  
>=20  
> I read about a dozen mailing lists. None of them refuse  
> HTML. Some  
> low-traffic lists allow 5 MB attachments.  
>=20  
> Has the HTML problem gone away?  
>=20  
> Wasn't a problem with radio. An OT could give an endless  
> organ recital  
> (not music - problems of old age) without being truncated.  
>=20  
> Bill Hawkins  
>=20  
> Note: It wouldn't be the first time that a lesson learned  
> in the early  
> days of some technology persisted long after it became  
> obsolete.  
>=20  
>=20  
> -----Original Message-----  
> From: AAFRadio  
> Sent: Tuesday, April 07, 2009 8:46 AM  
> To: Old Tube Radios  
> Subject: Re: Truncated Mail Problem - Again  
>=20  
> Left click on:  
> View  
> Message Source  
>=20  
> You have to wade through a ton of garbage to get down to  
> the substance,  
> but it's there.  
>=20  
> 73,  
> Mike=A0 KC4TOS

>=20

> Jerry Proc wrote:

> > Hi Everyone,

> >

> > This is an old problem but it seems to have gotten

> worse. I can no

> longer read any truncated posts. I guess this started

> several months ago

> and the frequency of receiving truncated posts has

> increased.=A0 =A0=20

> >

> > At one point I picked up on the trick of doing a

> "Reply To" in order

> to read mail but I am unable to do that any longer.

> Something has

> obviously changed but I don't know what. Is there any other

> trick I can

> use to read truncated mail?=A0 =A0=20

> >

> > --

> > Regards,

> > Jerry Proc

> > E-mail: jerry7proc@yahoo.com

>=20

> =0A=0A=0A

-----=  
\_\_\_\_\_=0AYahoo! Canada Toolbar: Search from anywhere on the web, and book=  
mark your favourite sites. Download it now=0Ahttp://ca.toolbar.yahoo.com.

-----  
End of BOATANCHORS Digest 4261

\*\*\*\*\*